

Built to last. Engineered to perform.

A Complete Guide to
Bekaert Fencing Solutions



With Bekaert, get fencing that stands up to harsh weather and daily demands, year after year. Our highly durable fence products provide peace of mind with quality tools and accessories perfectly engineered for your needs.

We also have a team of experts ready to assist on any given project. Bekaert's Fence Pros provide consultations, answer questions, help identify the right products for you and offer helpful resources for project planning through installation and more.

Unlimited possibilities lie beyond boundaries.





Table of Contents

Understanding Your Fence Solutions.....	4
Reading a Fence Design.....	5
Outlast & Outperform	
High Tensile Wire	6
Protect Your Fence	
Premium Coating Options	7

FENCING SOLUTIONS

Barbed Wire Fence	8
Fixed Knot Fence	12
Field Fence	18
Non-Climb Fence	22
Smooth Wire Fence	26
Tools and Accessories	28
Staples/Fasteners	29
Gripple Products	30
Fence Calculation Guide	34
Digital Tools	35

GUIDE

Understanding Your Fence Solutions

Making the right choice

- Identify your primary use from the icon categories
- Check the performance ratings to find the best fence solution for your application
- Select your coating level based on environmental conditions and desired longevity
- Compare options that meet your performance needs

Icons

The icons represent different uses and applications relevant for each fence solution.



Performance ratings

Our star rating system shows how well each fence performs for specific applications. The icons, together with the stars, indicate performance levels.

EXCELLENT
FOR THE JOB



GOOD
FOR THE JOB



OKAY
FOR THE JOB



Coating protection levels

The color coding in our charts indicates coating durability against rust:

40-YEAR COATING
GUARANTEE

30-YEAR COATING
GUARANTEE


20-YEAR COATING
GUARANTEE

These coating options are available across different fence categories, allowing you to balance upfront cost with long-term protection based on your specific environment and budget.

GUIDE

Reading a Fence Design

All Bekaert products feature a fence design number. Knowing the components of the design number helps you better understand the product specifications of the design.



HOW TO READ A FENCE DESIGN NUMBER

1047-6 12.5ga 300' Class 3



1. Number of line wires (10)
2. Height of fence in inches (47")
3. Stay wire (horizontal) spacing in inches (6")
4. Diameter of wire (12.5)
5. Length of fence roll in feet (300')
6. Galvanization coating

OUTLAST & OUTPERFORM

High Tensile Wire

With an increased carbon content, high tensile wire is stronger and less prone to elongation and sagging, which means less maintenance and repair down the road. Plus, high tensile wire is easier to install, saving you money and time.

Professional-strength high tensile

When you need the strongest wire on the market, our professional grade products Gaucho® Pro, Solidlock® Pro and Cattleman® Pro are the way to go. They are perfect for large or more aggressive livestock that are prone to rub against it, root under it or run into it at high speeds.

High tensile wire

Highest breaking strength

Lowest total cost of ownership per foot

Less sag and stretch

compared to standard low carbon fencing wire

High durability with fewer repairs and less maintenance

High-strength high tensile

These long-lasting fence options, such as Gaucho®, Solidlock®, Horseman® and Sheep and Goat Fence work great for cattle, horses, sheep, goats or exclusionary needs.

Non-sagging, high tensile wire

High breaking strength

Great value

Less sag and stretch than standard low carbon fencing wire

Tough and durable with few repairs and low maintenance

Standard strength

The standard strength family of Bekaert Classic fence products is a great, economical baseline fence for everyday needs.

Low carbon wire

Highly flexible

Some sag and stretch over time

PROTECT YOUR FENCE

Premium Coating Options

Fencing is an investment, so it's important to consider how different coating options can help you extend the life of your fence. Bekaert offers several coating options that increase the longevity of your fence and help protect your investment for up to 40+ years.

Bezinal® + UV Resistant Paint

40-YEAR COATING GUARANTEE

- Made of a hybrid zinc-aluminum coating and an additional top coating of UV-resistant paint
- Outperforms galvanized coatings by at least 4-to-1 (for the same coating weight)
- Offered in green or black for an aesthetically pleasing way to guard against rust and corrosion
- Passed rigorous testing

Bezinal®

30-YEAR COATING GUARANTEE

- Consisting of advanced zinc-aluminum
- Outperforms standard galvanized coatings by at least 3-to-1 (for the same coating weight)

Class 3

20-YEAR COATING GUARANTEE

- Three times the coat weight of the industry standard for Class 1
- Lasting protection against rust

Class 1 & Commercial

- Basic protection on traditional fencing

FENCING SOLUTIONS

Barbed Wire Fence


Often used for cattle fences, Bekaert barbed wire is made of two strands of wire, tightly twisted with sharp barbs placed at regular intervals throughout the line. This creates a deterrent to keep animals from attempting to reach over or dig under the wire.



Benefits

- + Adds security to existing fence systems
- + Sharp points for effective animal control
- + Great value
- + Offers a cost-effective solution for securing large areas

Barbed Wire Breaking Strength *in pounds*





Cattleman® Pro Barbed Wire

PART #	FENCE DESIGN	BARB SPACING	BARB TYPE	LINE WIRE DIAMETER	REEL LENGTH	REEL WEIGHT	COATING
135137	2 point	5"	flat	14 ga	1,320'	54 lbs	Class 3
134936	4 point	5"	flat	14 ga	1,320'	64 lbs	Class 3
145733	2 point	5"	flat	14 ga	1,320'	56 lbs	Bezinal®
145734	4 point	5"	flat	14 ga	1,320'	65 lbs	Bezinal®
235773	Barbless	—	—	14 ga	1,320'	45 lbs	Bezinal®
135463	2 point	5"	flat	14 ga	1,320'	56 lbs	Bezinal® + green
135464	4 point	5"	flat	14 ga	1,320'	65 lbs	Bezinal® + green



Gaucha® Barbed Wire

PART #	FENCE DESIGN	BARB SPACING	BARB TYPE	LINE WIRE DIAMETER	REEL LENGTH	REEL WEIGHT	COATING
118290	2 point	5"	flat	15.5 ga	1,320'	40 lbs	Class 3
118293	4 point	5"	round	15.5 ga	1,320'	40 lbs	Class 3
118352	4 point	3"	round	15.5 ga	1,320'	48 lbs	Class 3
261131	4 point	5"	round	15.5 ga	1,320'	40 lbs	Bezinal®



Bekaert Classic Barbed Wire

PART #	FENCE DESIGN	BARB SPACING	BARB TYPE	LINE WIRE DIAMETER	REEL LENGTH	REEL WEIGHT	COATING
168986	2 point	5"	flat	12.5 ga	1,320'	75 lbs	Class 1



Bekaert DOT Barbed Wire

PART #	FENCE DESIGN	BARB SPACING	BARB TYPE	LINE WIRE DIAMETER	REEL LENGTH	REEL WEIGHT	COATING
262950	Barbless	—	—	12.5 ga	1,320'	66 lbs	Class 1
223892	2 point	4"	round	12.5 ga	1,320'	80 lbs	Class 1
222140	4 point	5"	round	12.5 ga	1,320'	87 lbs	Class 3
118297	4 point	5"	round	15.5 ga	1,320'	40 lbs	Class 3



Bekaert Light Duty Barbed Wire

PART #	FENCE DESIGN	BARB SPACING	BARB TYPE	LINE WIRE DIAMETER	REEL LENGTH	REEL WEIGHT	COATING
206165	4 point	5"	round	18 ga	1,320'	25 lbs	Class 3

FENCING SOLUTIONS

Fixed Knot Fence


Fixed knot fences are tough enough to stand up to animal damage and durable enough to endure intense weather. The fixed knot utilizes a third wire that is formed around the crossover points of the horizontal line and the one-piece vertical stay wires for added strength.



Benefits

- + Best option for use in a variety of applications, including agricultural, commercial, solar and residential fencing
- + Maximum strength: The knot firmly ties the line and stay wires together
- + Minimizes sagging or stretching, leading to lower maintenance costs
- + Smaller openings at the bottom designed to prevent predator entry and small animal escape
- + Increased post spacing due to the solid vertical wire design combined with a high strength-to-weight ratio

Fixed Knot Fence Breaking Strength *in pounds*



Solidlock® Pro Fixed Knot Horse Fence



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	WIRE GAUGE	ROLL WEIGHT	COATING
278735	1348-3	48"	3"	200'	12.5 ga	221 lbs	Bezinal®
278737	1561-3	61"	3"	200'	12.5 ga	266 lbs	Bezinal®

Solidlock® Pro Fixed Knot Game and Solar Fence



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	WIRE GAUGE	ROLL WEIGHT	COATING
118288	2096-6	96"	6"	330'	12.5 ga	397 lbs	Class 3
118318	23120-6	120"	6"	330'	12.5 ga	470 lbs	Class 3
278983	1561-6	61"	6"	330'	12.5 ga	270 lbs	Bezinal®
278743	1775-6	75"	6"	330'	12.5 ga	328 lbs	Bezinal®
656445	1584-6	84"	6"	330'	12.5 ga	311 lbs	Bezinal®
733929	1796-6	96"	6"	500'	12.5 ga	535 lbs	Bezinal®
278696	2096-3	96"	3"	165'	12.5 ga	315 lbs	Bezinal®
180546	2096-6	96"	6"	330'	12.5 ga	396 lbs	Bezinal®
216657	2096-6	96"	6"	500'	12.5 ga	600 lbs	Bezinal®
181413	2096-12	96"	12"	330'	12.5 ga	282 lbs	Bezinal®
708529	23120-6	120"	12"	330'	12.5 ga	468 lbs	Bezinal®
136261	2096-6	96"	6"	330'	12.5 ga	396 lbs	Bezinal® + black

Solidlock® Pro Fixed Knot Cattle Fence



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	WIRE GAUGE	ROLL WEIGHT	COATING
118226	1348-6	48"	6"	330'	12.5 ga	237 lbs	Class 3
280727	1348-12	48"	12"	660'	12.5 ga	345 lbs	Class 3
118199	949-6	49"	6"	330'	12.5 ga	182 lbs	Class 3
118239	949-12	49"	12"	660'	12.5 ga	257 lbs	Class 3
620517	735-6	35"	6"	330'	12.5 ga	136 lbs	Bezinal®
180682	842-6	42"	6"	330'	12.5 ga	158 lbs	Bezinal®
180710	842-12	42"	12"	660'	12.5 ga	225 lbs	Bezinal®
221285	1348-6	48"	6"	330'	12.5 ga	237 lbs	Bezinal®
680757	1348-6	48"	6"	500'	12.5 ga	356 lbs	Bezinal®
708487	1348-12	48"	12"	660'	12.5 ga	344 lbs	Bezinal®
180541	949-6	49"	6"	330'	12.5 ga	182 lbs	Bezinal®
288830	949-6	49"	6"	500'	12.5 ga	274 lbs	Bezinal®
180545	949-12	49"	12"	660'	12.5 ga	257 lbs	Bezinal®

Bekaert DOT Fixed Knot



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	WIRE GAUGE	ROLL WEIGHT	COATING
216056	2096-6	96"	6"	330'	12.5 ga	397 lbs	Class 3

Tightlock® Pro Fixed Knot Fence

Designed for contractors




PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	WIRE GAUGE	ROLL WEIGHT	COATING
280717	842-3	42"	3"	330'	12.5 ga	250 lbs	Bezinal®
706823	949-6	49"	6"	660'	12.5 ga	362 lbs	Bezinal®
736432	949-6	49"	6"	990'	12.5 ga	542 lbs	Bezinal®
706822	1348-3	48"	3"	330'	12.5 ga	361 lbs	Bezinal®
706760	1348-6	48"	6"	660'	12.5 ga	469 lbs	Bezinal®
706830	2096-6	96"	6"	660'	12.5 ga	787 lbs	Bezinal®




Solidlock® Fixed Knot

PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	WIRE GAUGE	ROLL WEIGHT	COATING
170645	1478-6	78"	6"	165'	14 ga	105 lbs	Bezinal®
157717	1478-6	78"	6"	330'	14 ga	210 lbs	Bezinal®
644620	1690-6	90"	6"	165'	14 ga	122 lbs	Bezinal®
157718	1690-6	90"	6"	330'	14 ga	241 lbs	Bezinal®




Solidlock® Pro 12.5 ga Game Fence


Available in 6" and 12" stay spacing; select sizes available with 3" stay spacing.



Solidlock® Pro 12.5 ga Cattle Fence



Solidlock® Pro 12.5 ga Horse Fence



Solidlock® 14 ga Fixed Knot

Available in 6" stay spacing.

FENCING SOLUTIONS



Field Fence


The hinge joint is a popular option for agricultural fencing due to its flexibility. Formed by wrapping the vertical stay wire around the line wire at each intersection, the hinge joint can withstand animal impacts without breaking.



Benefits

- + Increased effectiveness versus barbed wire or smooth wire alone
- + Smaller openings at the bottom designed to prevent predator entry and small animal escape
- + Good choice for grazing animals such as cattle or sheep
- + Offers a variety of height and spacing to suit specific applications

Field Fence Breaking Strength *in pounds*



Gaucha® Pro Field Fence



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	TOP & BOTTOM WIRE DIAMETER	FILLER WIRE DIAMETER	ROLL WEIGHT	COATING
118188	939-6	39"	6"	330'	10.5 ga	12.5 ga	166 lbs	Class 3
118202	1047-6	47"	6"	330'	10.5 ga	12.5 ga	190 lbs	Class 3
118242	1478-6	78"	6"	330'	12.5 ga	12.5 ga	266 lbs	Class 3

Gaucha® Field Fence



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	TOP & BOTTOM WIRE DIAMETER	FILLER WIRE DIAMETER	ROLL WEIGHT	COATING
118391	726-6	26"	6"	330'	12.5 ga	14 ga	80 lbs	Class 3
118406	832-6	32"	6"	330'	12.5 ga	14 ga	93 lbs	Class 3
118142	939-6	39"	6"	330'	12.5 ga	14 ga	107 lbs	Class 3
118155	1047-6	47"	6"	330'	12.5 ga	14 ga	121 lbs	Class 3

Bekaert Classic Field Fence




PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	TOP & BOTTOM WIRE DIAMETER	FILLER WIRE DIAMETER	ROLL WEIGHT	COATING
118181	832-6	32"	6"	330'	10 ga	12.5 ga	143 lbs	Class 1
118190	939-6	39"	6"	330'	10 ga	12.5 ga	166 lbs	Class 1
118207	1047-6	47"	6"	330'	10 ga	12.5 ga	189 lbs	Class 1
118251	1047-6	47"	6"	330'	9 ga	11 ga	280 lbs	Class 1



Bekaert DOT Field Fence

PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	TOP & BOTTOM WIRE DIAMETER	FILLER WIRE DIAMETER	ROLL WEIGHT	COATING
259320 high tensile	1047-6	47"	6"	330'	10.5 ga	12.5 ga	189 lbs	Class 3
235275 low carbon	1047-6	47"	6"	330'	9 ga	11 ga	280 lbs	Class 3
118301 low carbon	1047-6	47"	6"	330'	9 ga	9 ga	417 lbs	Class 3
118266 low carbon	1047-12	47"	12"	330'	9 ga	9 ga	311 lbs	Class 3



Field Fence

Available in 6" and 12" stay spacing.

Non-Climb Fence


The S knot design in non-climb fencing is ideal for protecting animal hair and skin, making it the preferred choice for livestock such as horses, goats and sheep. For the S knot, a separate piece of wire is used to tie the crossover points of the line and stay wires. This creates a safe and smooth feel that not only wards off snags, but is also strong enough to withstand impact.



Benefits

- + Animal-friendly S knot protects animals' skin and coat
- + 2" x 4" openings reduce risk to equines
- + 4" x 4" openings reduce risk and is the preferred fence for sheep and goats
- + Smaller openings prevent hoof entanglement
- + Great option as a residential fence

Woven Wire Breaking Strength *in pounds*



Horseman® Non-Climb Horse Fence



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	LINE WIRE DIAMETER	WIRE STAY DIAMETER	ROLL WEIGHT	COATING
164395	1348-2	48"	2"	100'	12.5 ga	13.5 ga	109 lbs	Bezinal®
164396	1348-2	48"	2"	200'	12.5 ga	13.5 ga	215 lbs	Bezinal®
287167	1348-2	48"	2"	330'	12.5 ga	13.5 ga	352 lbs	Bezinal®
164397	1660-2	60"	2"	100'	12.5 ga	13.5 ga	132 lbs	Bezinal®
164399	1660-2	60"	2"	200'	12.5 ga	13.5 ga	267 lbs	Bezinal®
165031	1972-2	72"	2"	100'	12.5 ga	13.5 ga	132 lbs	Bezinal®
134801	1348-2	48"	2"	100'	12.5 ga	13.5 ga	129 lbs	Bezinal® + black
134804	1348-2	48"	2"	200'	12.5 ga	13.5 ga	254 lbs	Bezinal® + black
134808	1660-2	60"	2"	100'	12.5 ga	13.5 ga	158 lbs	Bezinal® + black
134799	1972-2	72"	2"	100'	12.5 ga	13.5 ga	188 lbs	Bezinal® + black

Bekaert Sheep & Goat Fence



PART #	FENCE DESIGN	HEIGHT	VERTICAL SPACING	ROLL LENGTH	LINE WIRE DIAMETER	WIRE STAY DIAMETER	ROLL WEIGHT	COATING
230834	1348-4	48"	4"	100'	12.5 ga	13.5 ga	71 lbs	Bezinal®
213412	1348-4	48"	4"	330'	12.5 ga	13.5 ga	231 lbs	Bezinal®
730994	1348-4	48"	4"	660'	12.5 ga	13.5 ga	460 lbs	Bezinal®
664782	1660-4	60"	4"	330'	12.5 ga	13.5 ga	292 lbs	Bezinal®





Smooth Wire Fence

Single strand smooth wire is a versatile, affordable solution for farm, ranch, home and shop settings. Use it for permanent or temporary fencing, reinforcement of woven wire fences or various tying, bracing, fastening and bundling applications.

Benefits

- + Versatile wire for many applications that is economical and easy to install
- + 12.5 ga high tensile smooth wire is perfect for bracing vineyard and orchard, and the best option for permanent electric fencing
- + 14 and 17 ga options offer electric fence wire that is low carbon and best suited for temporary electric fencing

Bekaert High Tensile Smooth Wire 12.5 ga



PART #	WIRE STRENGTH	LENGTH	WEIGHT	COATING
118358	170 K PSI	2,000'	50 lbs	Class 3
118128	170 K PSI	4,000'	100 lbs	Class 3
118361	200 K PSI	2,000'	50 lbs	Class 3
118141	200 K PSI	4,000'	100 lbs	Class 3
141998	200 K PSI	4,000' Torsion-Free	100 lbs	Class 3
120656 Reddie Reel™	179 K PSI	1,320'	32 lbs	Class 3
120657 Reddie Reel™	179 K PSI	2,640'	64 lbs	Class 3
154996	170 K PSI	4,000'	100 lbs	Bezinal®
179484	200 K PSI	4,000' Torsion-Free	100 lbs	Bezinal®

Bekaert Low Carbon Electric Fence Wire

DIVISIONAL WIRE

PART #	WIRE DIAMETER	LENGTH	PACKAGE	COATING
118220	14 ga	1,320' (1/4 mile)	Reels	Commercial
118306	14 ga	2,640' (1/2 mile)	Reels	Commercial
119752	17 ga	1,320' (1/4 mile)	Reels	Commercial
118244	17 ga	2,640' (1/2 mile)	Reels	Commercial

Bekaert DOT Low Carbon Smooth Wire



PART #	WIRE DIAMETER	LENGTH	PACKAGE	COATING
223896	9 ga	170'	10-lb coil	Class 3
223897	9 ga	1,710'	100-lb coil	Class 3

Bekaert Merchant Quality Low Carbon Wire Coils



PART #	WIRE DIAMETER	LENGTH	PACKAGE	COATING
118105	11 ga	270'	10-lb coil	Class 3

Tools and Accessories

Stretcher Bars, Wedges and Pullers

PART #	PRODUCT	LENGTH	# OF WEDGES	WEIGHT
632996	4' Stretcher Bar, 5 Wedges	52"	5	29 lbs
632997	5' Stretcher Bar, 6 Wedges	66"	6	36 lbs
632998	Stretcher Bar Replacement Wedge	12"	1	1.4 lbs
632994	Stretcher Bar Puller with 20-ft Chain	20'	n/a	15 lbs
633001	Chain Grab	5'	n/a	8.5 lbs

Accessories

PART #	PRODUCT	DESCRIPTION	# OF UNITS	BOX WEIGHT
288581	Knipex 8" Wire Cutter	Cuts with minimal effort	1	0.9 lbs
633003	Wire Twisting Tool	Flat steel tool – ideal for bending wire in small spaces	1	0.08 lbs

Fence Stays

PART #	DESCRIPTION	WIRE DIAMETER	PACKAGE	COATING
118303	42" open top stays	9.5 ga	Bundle of 100	Class 3
118314	48" open top stays	9.5 ga	Bundle of 100	Class 3



Staples/Fasteners

Bekaert Barbed Staples

PART #	DESCRIPTION	WIRE DIAMETER	PACKAGE	COATING
718123	1.25" double barbed	8 ga	75-count jar	Bezinal®
654317	1.5" double barbed	8 ga	75-count jar	Bezinal®
654318	1.75" double barbed	8 ga	75-count jar	Bezinal®
658096	1.25" double barbed	8 ga	8-lb bucket	Bezinal®
658107	1.5" double barbed	8 ga	8-lb bucket	Bezinal®
658132	1.75" double barbed	8 ga	8-lb bucket	Bezinal®
658014	2" double barbed	8 ga	8-lb bucket	Bezinal®
187255	1.25" double barbed	8 ga	50-lb bucket	Bezinal®
147613	1.5" double barbed	8 ga	50-lb bucket	Bezinal®
187260	1.75" double barbed	8 ga	50-lb bucket	Bezinal®
162837	2" double barbed	8 ga	50-lb bucket	Bezinal®

Bekaert Knurled Staples

PART #	DESCRIPTION	WIRE DIAMETER	PACKAGE	COATING
118322	1" knurled	9 ga	50-lb bucket	Class 3
118323	1.25" knurled	9 ga	50-lb bucket	Class 3
118324	1.5" knurled	9 ga	50-lb bucket	Class 3
118325	1.75" knurled	9 ga	50-lb bucket	Class 3

Bekaert Barbed Panel Staples

PART #	DESCRIPTION	WIRE DIAMETER	PACKAGE	COATING
666210	2.5"	6 ga	5-lb bucket	Bezinal®

Post Clips and Tools

PART #	DESCRIPTION	GAUGE	PACKAGE	COATING
658867	Pipe clip 2 3/8"	11 ga	400 count	Bezinal®
658868	Pipe clip 3"	11 ga	400 count	Bezinal®
658869	T-Post clip	11 ga	500 count	Bezinal®
658870	Drill chuck for post and pipe clips	—	1 each	Bezinal®

Crimp Sleeves and Tools

PART #	DESCRIPTION	FOR USE WITH	PACKAGE	COATING
632999	12.5 gauge crimp sleeves - short	16-12.5 gauge high tensile smooth wire	100-count jar	Aluminum
633000	12.5 gauge crimp sleeves - long	16-12.5 gauge high tensile smooth wire	100-count jar	Aluminum
633002	2-slot crimp tool	10, 11, 12.5 gauge wire	each	—

FENCING SOLUTIONS

**Gripple®
Products**

Installing, maintaining and repairing your wire fence just got easier. We've proudly partnered with Gripple® to bring you tools to simplify your process. Pair a high-quality fence with innovative products such as pre-installed joiners on select products, brace kits, wire joiners and various tools.

Joiner and T-Clip



Gripple Joiners – Bags

PART #	PRODUCT	DESCRIPTION	WORKING LOAD	# OF PIECES IN BAG	# OF BAGS IN CASE	CASE WEIGHT
288544	Gripple Plus Small	For 17-14 ga plain wire, trellis wire, field fence or electric fence	660 lbs	10	10	4.8 lbs
288545	Gripple Plus Medium	For 14-10 ga plain wire, trellis wire, field fence or electric fence, and 15.5 ga high tensile barbed wire	880 lbs	10	10	6.5 lbs
288436	Gripple Plus Large	For 10-7.5 ga plain wire, trellis wire, field fence or electric fence	1,320 lbs	10	10	10.3 lbs
288462	Low Carbon Barbed Wire Gripple	For 14 ga high tensile barbed wire and 12.5 ga low carbon barbed wire	330 lbs	10	10	5.8 lbs
722313	High Tensile Barbed Wire Gripple	For 15.5 and 14 ga high tensile barbed wire	880 lbs	10	10	10 lbs

Gripple Brace Kits

PART #	PRODUCT	DESCRIPTION	# OF PIECES	# OF PIECES IN CASE	CASE WEIGHT
288596	BeFAST Brace Kit, 16.5'	16.5' of 5/32" thick 1x19 strand cable with pre-ferruled loop and Large Plus Gripple. Designed for high load vineyard and H-Brace fencing applications	1	10	11.2 lbs
288591	BeFAST Brace Kit, 16.5' bulk	16.5' of 5/32" thick 1x19 strand cable with pre-ferruled loop and Large Plus Gripple. Designed for high load vineyard and H-Brace fencing applications	1	40	35 lbs

Gripple Joiners – Jars

PART #	PRODUCT	DESCRIPTION	WORKING LOAD	# OF PIECES IN JAR	# OF JARS IN CASE	CASE WEIGHT
657001	Gripple Plus Medium	For 13.5-10 ga plain wire, trellis wire, field fence or electric fence	880 lbs	30	1	1.9 lbs
657037	Gripple Low Carbon Barbed Wire	For 12.5 ga mild steel barbed wire	880 lbs	30	1	1.7 lbs
738713	Gripple High Tensile Barbed Wire	For 15.5 and 14 ga high tensile barbed wire	880 lbs	30	1	3 lbs

Gripple Joiners – Bulk Jars/Boxes

PART #	PRODUCT	DESCRIPTION	WORKING LOAD	# OF PIECES IN JAR	# OF JARS IN CASE	CASE WEIGHT
704059	Gripple Plus Small	For 17-14 ga plain wire, trellis wire, field fence or electric fence	660 lbs	600	1	24 lbs
288555	Gripple Plus Medium	For 13.5-10 ga plain wire, trellis wire, field fence or electric fence	880 lbs	200	1	12 lbs
668558	Gripple Plus Medium	For 13.5-10 ga plain wire, trellis wire, field fence or electric fence	880 lbs	400	1	24 lbs
672344	Gripple Plus Large	For 10-7.5 ga plain wire, trellis wire, field fence or electric fence	1,320 lbs	250	1	23 lbs
704058	Gripple Barbed Wire	For 12.5 ga mild steel barbed wire	880 lbs	350	1	23 lbs
737849	Gripple High Tensile Barbed Wire	For 15.5 and 14 ga high tensile barbed wire	880 lbs	240	1	24.5 lbs

Gripple T-Clips for Termination

PART #	PRODUCT	DESCRIPTION	# OF PIECES IN BAG	# OF BAGS IN CASE	CASE WEIGHT
288463	T-Clip	For 14-10 ga plain wire, field fence or electric fence and 15.5 ga high tensile barbed wire	10	10	6.3 lbs
657003	T-Clip	For 14-10 ga plain wire, field fence or electric fence and 15.5 ga high tensile barbed wire	30	1	1.8 lbs
288557	T-Clip	For 14-10 ga plain wire, field fence or electric fence and 15.5 ga high tensile barbed wire	150	1	8.9 lbs
668559	T-Clip	For 14-10 ga plain wire, field fence or electric fence and 15.5 ga high tensile barbed wire	300	1	17.4 lbs
288546	T-Clip 2 Barbed Wire	For 10-7.5 ga plain wire, field fence or electric fence, 14 ga high tensile barbed wire and 12.5 ga low carbon barbed wire	10	10	8.3 lbs

Tensioning Tools

PART #	PRODUCT	DESCRIPTION	# OF PIECES	# OF PIECES IN CASE	CASE WEIGHT
683533	Torq Tensioning Tool	Made of strong glass nylon, this light and compact tool allows tensioning of wire/cable through a Gripple joiner on your fencing	1	4	11.2 lbs
683532	Contractor Tensioning Tool	Metal construction, longer handles, higher gear ratio and wider cam for tensioning wire/cable through all sizes of Gripple	1	4	22.3 lbs
288563	Cam Set for Torq Tool	Replacement cam set for the Gripple Torq Tool	1	1	0.3 lbs
288567	Cam Set for Contractor Tool	Replacement cam set for the Gripple Contractor Tool	1	1	0.3 lbs

Fence Bullet Pipe Brace Kits

PART #	PRODUCT	BRACE STYLE	POST SIZE
658871	Pipe Brace Kit, Galvanized	HN	2 3/8"
658872	Pipe Brace Kit, Galvanized	HN	2 7/8"
658873	Pipe Brace Kit, Galvanized	N	2 3/8"
658874	Pipe Brace Kit, Galvanized	N	2 7/8"
658875	Pipe Brace Kit, Galvanized	H	2 3/8"
658876	Pipe Brace Kit, Galvanized	H	2 7/8"


Gripple Accessories

PART #	PRODUCT	DESCRIPTION	# OF PIECES	# OF PIECES IN CASE	CASE WEIGHT
288559	Gripple Twisters (Grey)	Secures tail wires to create an aesthetic, hazard-free finish	100	10	4 lbs
288558	2 Gripple Release Keys (Blue) on Retractable Ring	2 Gripple release keys and retractable key ring	3	10	4 lbs
288595	Small Cable Cutter	Designed for cutting cable in the 1/8-5/32" range	1	1	7.6 lbs
288582	Large Cable Cutter	Designed for cutting cable in the 3/16-1/4" range	1	1	3.1 lbs

Fence Calculation Guide

General post spacing requirements

Post spacing will vary with land conditions and stock pressure. For specific application and installation questions, ask The Fence Pros on our website fencing.bekaert.com.



High tensile field fence Up to 16.5'

Products: Gaucho® 20 and Gaucho® Pro 20

High tensile barbed wire Up to 30' with stays

Products: Gaucho® 20, 30, 40 and Cattleman® Pro 20, 30, 40

High tensile fixed knot fence Up to 30'

Products: Solidlock® 30 and Solidlock® Pro 20, 30, 40

High tensile non-climb horse fence 8-12'

Products: Horseman® Non-Climb Fence

High tensile non-climb sheep and goat fence 8-12'

Products: Bekaert Sheep and Goat Fence

Bekaert high tensile coils Up to 30' with battens

Products: Bekaert 170 K PSI, Bekaert 200 K PSI

Low carbon field fence 8'

Products: Bekaert Classic Field Fence

Low carbon barbed wire Up to 12-15'

Products: Bekaert Classic Barbed Wire

Digital Tools

At Bekaert, service is just as important as providing a quality product. We've created a variety of tools to ensure your fencing project goes smoothly. Visit fencing.bekaert.com or scan the QR code to find these resources today.



Fence Calculator

Using GPS coordinates, Bekaert's online Fence Calculator can help make sure you get the exact amount of wire you need, post number and spacing suggestions, along with providing an estimated cost of your project.

Dealer and Contractor Locator

Enter your location on the Dealer and Contractor Locator page to see an up-to-date list and map of options in your area.

FAQ, Installation Guides and Articles

Find answers to frequently asked questions along with installation guides and articles from our fencing experts.

Product Finder

Discover the right product for your application.

Contractor Advantage Program

CAP is an exclusive program for fencing contractors offering a range of benefits. This includes access to exclusive promotions, training opportunities and a featured spot on our Contractor Locator to help drive qualified leads. Visit the website to learn more and apply for a free CAP membership.

Installation Videos

Bekaert is proud to provide a series of installation videos to help you make sure you get the best performance from your fence. Also, check us out on Facebook and Instagram, and visit our YouTube channel for detailed repair videos.

 @BekaertFencing

 @Bekaert_Fencing

 @BekaertFencing

More information?

fencing.bekaert.com

Bekaert

4300 Wildwood Pkwy, Suite 100

Atlanta, GA 30339

1.800.241.4126

Bekaert Van Buren

1881 Bekaert Drive

Van Buren, AR 72956



Modifications reserved. All details describe our products in general form only. For ordering and design, only use official specifications and documents. Unless otherwise indicated, all trademarks mentioned in this brochure are registered trademarks of NV Bekaert SA or its subsidiaries.

© Bekaert 2025

